



Güvenlik Platformları

Yüksek yapılarda, çalışanların düşmeye karşı güvenliğini sağlar. İnşaattan düşen malzeme, atıklar vb. tutarak aşağıda çalışanların can güvenliğini sağlar. Yerleşim birimi içinde ise yayaların can güvenliğini sağlar. Ana ağlar 10x10cm göz aralıklı 6mm ip kalınlığındadır. Malzeme düşme önleyici ağlar yüksek mukavemetli 2x2cm göz aralıklı 2mm ip kalınlığındadır. TS-EN 1263-1 / Geçici iş donanımları - Güvenlik Ağları standardına göre üretilmiştir. Şantiyede TS-EN 1263-2 standardına göre monte edilip yerleştirilmelidir. Vinç ile katlar arası demonte edilmeden taşınır. TS-EN 1263-1 / Geçici iş donanımları - Güvenlik Ağları standardı belgelidir.

Belge kapsamı;

Güvenlik Ağı TS EN 1263-1-S-B2-Q100-5x7-M

Güvenlik Ağı TS EN 1263-1-V-B2-Q100-5x7-M

Güvenlik Ağı TS EN 1263-1-T-B2-Q100-4x6-M

Güvenlik Ağı TS EN 1263-1-U-B2-Q100-1x2-M belgelidir.

Safety Platforms

Ensures the safety of workers against falls in high buildings. Ensures the safety of employees below by holding falling materials, wastes and etc. Ensures the safety of pedestrians if building in residential areas. Manufactured according to TS-EN 1263-1 standard. Main nets are 6mm thick with 10x10cm mesh spacing. Material drop preventive nets are 2mm thick with 2x2cm mesh spacing. Must be installed according to TS-EN 1263-2 standard in construction site. Can be transported without disassembling between floors with the help of crane. TS-EN 1263-1 / Temporary work equipment - Security nets standard documented.

Document coverage;

Safety Nets TS EN 1263-1-S-B2-Q100-5x7-M

Safety Nets TS EN 1263-1-V-B2-Q100-5x7-M

Safety Nets TS EN 1263-1-T-B2-Q100-4x6-M

Safety Net is certified according to EN 1263-1-U-B2-Q100-1x2-M.




Belgelidir
Certificated






Güvenlik Platformu Konsolu
Safety Platform Console



L=300cm 980050300 220,00 kg

Güvenlik Platformu Konsolu Maksimum
Safety Platform Console Maximum



L=400cm 980050400 260,00 kg